# **REPORT EXERPTS**

## **MAIN INFOGRAPHICS**



## Note to Infographics Document

The authors have prepared this document as a connivence to readers who may wish to have a quick reference to the main infographics as contained in the original report dated March 22, 2022.

These infographics **do not** provide enough information to give the reader a thorough understanding of the overall issues contained in the original report and should only be used as reference materials in conjunction with the complete report.

#### 6.1.4 Detailed Review of Causes of Death in Various Age Groups 2020

Like all things in life, perspective is one of the most important measures as to how much mitigative action a person should take when facing certain situations.

The following data is derived from Statistics Canada database reference:

https://www150.statcan.gc.ca/t1/tbl1/en/tv.action? pid=1310039401&pickMembers%5B0%5D=2.7&pickMembers%5B1%5D=3.1&cubeTimeFrame.s tartYear=2020&cubeTimeFrame.endYear=2020&referencePeriods=20200101%2C20200101

The data presented in the following table are unadjusted, except that Statistics Canada reports the specific causes of death as the "top 50 causes" despite some of the causes listed recording zero deaths in 2020. We have deleted the causes of death that were zero rated for 2020.

Also, it is interesting to note that 21% of the total deaths for 2020 were listed as "Other Causes". In other words, no explanation for these deaths were provided in the statistics, except that they were not in the list of "top 50 causes of death".

In this section we will review the "risk of death" in the year 2019, and compare it to the year 2020. Further, we will compare the risk of death from Covid 19 to the risk of death in various age groups from various causes reported by Statistics Canada.

According to Statistics Canada, here are various age groups and causes of death in Canada for the year 2020:

## Selected Infographics

2020	Number of Deaths																
Age Range	0 - 14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85 ++	Totals
Total in Age Group	6,041,733	2,102,402	2,484,313	2,647,713	2,664,486	2,632,387	2,465,574	2,392,365	2,452,279	2,746,773	2,561,677	2,168,710	1,788,124	1,219,909	812,613	856,146	38,037,20
Total Deaths	616	733	1,552	2,229	2,596	2,995	3,638	4,886	7,511	13,281	18,931	24,277	31,089	35,372	41,334	114,543	305,583
Covid 19	1	1	9	7	11	25	38	65	124	247	425	757	1,212	1,813	2,592	8,824	16,151
Salmonella											1	2	1		2	3	9
Tuberculosis			3		1	3	2	6	2	4	10	4	7	15	12	27	96
Meningococcal infection	2					1				1		1	1		1		7
Sepsis	5	3	2		4	7	23	26	28	49	106	124	200	295	311	1,033	2,216
Syphilis												1	1	1		2	5
Viral hepatitis			2	1	2	3	3	8	17	46	53	50	22	16	11	14	248
HIV				2	8	7	14	15	19	19	13	15	11	8	2	2	135
Malignant neoplasms	112	68	64	134	191	403	718	1,183	2,275	4,842	7,813	10,036	12,257	12,098	11,278	17,493	80,965
neoplasms	9	4	1	3	5	7	10	14	27	51	96	130	197	272	333	697	1,856
Anaemias	3	3	1	2	3	4	3	1	5	10	12	19	44	44	73	392	619
Diabetes	6	6	9	16	48	63	72	115	196	387	558	708	914	1,017	1,143	2,308	7,566
Nutritional deficiencies					2	1	2	3	8	10	13	18	13	21	34	126	251
Meningitis	3		1	1	1	1	3	2	5	8	7	7	6	5	7	13	70
Parkinsons								3	1	12	52	132	313	603	814	1,501	3,431
Alzheimer's disease							2	2	5	20	39	102	253	510	899	3,911	5,743
Diseases of heart	12	15	28	51	108	170	302	591	1,063	2,071	3,178	4,018	5,133	5,819	7,259	23,868	53,686
Essential hypertension						3	3	6	15	38	71	91	134	151	239	1,196	1,947
Cerebrovascular	10	3	10	18	19	30	66	113	195	367	526	794	1,180	1,578	2,222	6,562	13,693
Atherosclerosis		0	10	10	15	00	3	1	6	10	22	43	55	55	83	258	536
Aortic aneurysm			1	3	6	8	11	34	30	68	91	116	181	242	233	491	1,515
	16	5	8		31	15	49		87			300		563	775		5,939
Influenza and	16	5	0	14	31	15	49	56	87	135	211	300	436			3,238	
Acute bronchitis			-	-	-	10	40		400				2	1	2	12	17
Chronic lower	2	4	6	5	7	10	19	36	103	289	2	1,121	1,594	1,885	1,980	3,959	11,022
Pneumoconioses						1	1	2		1		4	15	18	34	41	117
Pneumonitis			2	2		1	4	7	15	31	43	74	117	160	254	955	1,665
Peptic Ulcer					3	4	7	11	15	23	41	57	63	70	81	174	549
Diseases of appendix	1			1		1		1		3	4	3	4	3	3	24	48
Hernia			1		1	113	4	3	2	13	16	33	41	42	70	198	537
Chronic liver		2	5	28	55		162	241	382	587	553	653	505	375	262	250	4,060
Gall Blader				1	2		1	426	8	11	12	27	36	76	82	247	929
Nephritis	1		1	5	8	10	17	1	50	82	144	213	347	452	686	2,000	4,017
Infection of Kidney							1			7	4	18	12	18	25	85	170
Prostate									1		4	5	10	15	25	127	187
Female pelvic organs						1	1	1	1	2	3			5	3	9	26
Pregnancy		1	4	3	9	10	3										30
Perinatal period	1				1	1	1		1				1		1	2	9
Congenital	50	14	20	22	22	16	22	36	67	92	101	49	47	31	22	44	655
Acidents	127	208	520	741	792	776	772	676	754	856	745	682	716	949	1,303	4,871	15,488
Suicide	39	173	291	342	353	323	317	314	309	419	301	198	159	120	78	103	3,839
Homicide	13	27	61	66	40	45	35	23	18	26	10	9	12	5	1	5	396
Legal intervention				3	2	1	2	1	2	1	2		1				15
War																1	1
Complications of medical	1	1	2	2		1	2	2	3	6	15	16	24	21	16	54	166
Other causes		194	500	756	870	929	943	1,257	1,649	2,437	2,933	3,647	4,812	5,999	8,083	29,423	64,432
% Of Other Causes to		26%	32%	34%	34%	31%	26%	26%	22%	18%	15%	15%	15%	17%	20%	26%	21%

#### 6.2 Statistics Infographics

The authors believe that a thorough and clear understanding of the risks associated with the Covid 19 pandemic is fundamental.

The following infographic sheets have been prepared to clearly describe the information contained in Section 5.1 of this report.

Those people who are responsible for the alleged criminal actions either knew or ought to have known the actual risks associated with Covid 19 prior to implementing sweeping and unprecedented mandates that have caused such devastating harm to the Canadian people.

Medical professionals certainly understand science, and statistics and risk.

It is inconceivable that the overall risks of the Covid 19 infection were not clearly understood, when early as May 2021, this information was available to the public at large.

When there is a fiduciary trust between two parties, a special trust and a special responsibility exists between those two parties.


It is the contention of the authors that the data available was so obvious, that disregard of that information was in fact a criminal offence, and that any harm resulting from those criminal offences must be accounted for, and those responsible brought to justice.


DID YOU KNOW? 🗯

## What Are Your Odds?

The following is a discussion of the risks presented by Covid-19 based on the actual statistics reported by Statistics Canada as of May 2021 and as presented in the previous graphs and tables.

#### 2019 Over 70 years Old - Odds of Dying






### 2019 Zero to 19 years Old - Odds of Dying


2019 Odds of Dying All Causes							
Number of People		8,139,512					
Number Total Deaths		1,365					
Percent Chance of Death Any Cause		0.0168%					
Odds of Death in 2019	1 in	5,963					

2020 Odds of Dying With Covid 19		
Number of People		8,144,135
Number Covid Deaths		2
Percent Chance of Death From Covid 19		0.0000%
Odds of Death in 2020 with Covid 19	1 in	4,072,068

2019 All Ages Leading Causes of Death



## 0 to19 Years of Age years of Age



2019 Death any Cause vs 2020 Death with Covid 19

At any age (in the General Population) By May 14, 2021, there has been a All Ages 2019 ( 300,000 Total of 15,606 reported deaths Number of People 37,324,48 from Covid 19 285.270 Number Total Deaths Murders 501 In 2019 (Prior to Covid 19) there were: 225,000 Suicides 4,528 • 387 Murders 14,930 6,943 4.012 Suicides Influenza 82.128 Cancer 13,746 Accidents Big 150,000 Heart Disease 53,284 • 6,893 Deaths from Influenza ent Chance of Death Any Cause 0.7643% Odds of Death in 2019 1 in 131 52,541 Deaths from Heart Disease 75.000 80,152 Deaths from Cancer • 6,912 Deaths from Diabetes • 6,166 Deaths from Alzheimer's Number of People 38,037,204 Covid 16,151 • 13,660 Deaths from Heart Attack ce of Death From Covid 19 0.0425% Number Total Deaths Cancer Accidents Suicides Murders Heart Disease Influenza Odds of Death with Covid 19 in 2020 1 in 2,355 2019 Leading Deaths Vs 2020 Covid

#### If you are over the age of 70

- In 2019, (prior to Covid 19) there were 4,668,591 people over the age of 70 in Canada.
- In 2019, there were a total of 145,569 deaths in this age group.
- In 2019, (prior to Covid 19) your odds of dying in a given year if you were over 70 years of age are: 1 in 32.
- In 2020, your odds of dying from Covid-19, if you are over 70 year of age are: 1 in 324

So your odds of simply dying for any reason in 2019 were ten time higher than your odds of dying with Covid 19, in 2020.


# **DID YOU KNOW?**

## mRNA Vaccines & Pregnancy

What are the real risks of Covid 19 to pregnant women and what do we know about the new mRNA vaccines.

## **Facts:**

- 1. mRNA vaccines are new and have never been used in humans before
- 2. There are no long term studies on the effects of the mRNA vaccines
- 3. The safety and efficacy of mRNA vaccines in pregnant woman has not been established
- 4. It is unknown if mRNA vaccines are excreted in human milk
- 5. The risk of the mRNA vaccines to newborns and infants is not known
- 6. It is unknown if mRNA vaccines have an impact of fertility
- 7. Anaphylaxis has been reported associated with the mRNA vaccine
- 8. Carcinogenic potential has not been assessed
- 9. Genotoxicity has not been assessed
- 10. Reproductive & Developmental Toxicity in Humans has not been assessed



## **Risk of Death**

According to Statistics Canada the mean age of a mother at the time of delivery (live births) for the

In 2020 following are the statistics for women between the ages of 20 and 40 years of age: Numbers of Deaths 2020

Age	Total	Total	Covid	Pregnancy	Cancer	Heart	Influenza	Accident	Suicide	Murder		
20 - 39	5,096,479	2,890	20	24	416	114	29	655	341	39		
Odds of Dying	1 in X	1,763	254,824	212,353	12,251	44,706	175,741	7,781	14,946	130,679		
		Odds of Death are 1 : the Number in the row Above Example: the odds of dying of any cause is 1 in 1,763										
A Total o The Odd	ain child b of 20 Covid Is of dying Is of dying	d-19 dea 1 from an	iths were ly cause f	reported for this ag	for this a	ige group is: 1						
The Odds of dying from Covid 19 is:							1 in 254,824					
So the o	dds of dy	ina from	simply be	eina prea	hant wer	hiaher t	han from	aettina a	nd dvina			

2019 is 31.2 years of age.



# DID YOU KNOW?

## mRNA Vaccine Safety Data

What do we know about the testing of and safety of the mRNA Vaccines.

# Facts:

- 1. mRNA vaccines are **new** and have **never** been used in the general population before
- 2. mRNA vaccines are like no other vaccine ever used wide scale before
- 3. The mRNA vaccine does not prevent you from getting Covid-19
- 4. The mRNA vaccine does not prevent you from transmitting Covid-19
- 5. Protection levels drop off substantially over a short period of time
- 6. There are no long term studies on the effects of the mRNA vaccines
- 7. The safety and efficacy of mRNA vaccines in pregnant women has not been established
- 8. It is unknown if mRNA vaccines are excreted in human milk
- 9. The risk of the mRNA vaccines to newborns and infants is not known
- 10. It is unknown if mRNA vaccines have an impact of fertility
- 11. Anaphylaxis has been reported associated with the mRNA vaccine
- 12. Carcinogenic potential has not been assessed
- 13. Genotoxicity has not been assessed
- 14. The risk of vaccine induced Myocarditis and Pericarditis in young people is not known
- 15. Reproductive & Developmental Toxicity in Humans has not been assessed
- 16. According to Pfizer, between December 1, 2020 to February 28, 2021 (3 months) they had received 42,086 reported cases of adverse reactions to their mRNA vaccine; this included 1,123 fatal cases. Pfizer listed **9 full pages** of "Adverse Events of Special Interest".
- 17. According to the VigiAcess System (WHO) in 2021 alone, there were 2,879,136 adverse reactions reported with the Covid-19 Vaccine, as of writing this report they had reported over 3.3 million.
- 18. Canadian government website related to Covid-19 adverse reactions, stopped reporting deaths attributed to the vaccines.
- 19. In Canada, if you are under the age of 14, you are 15,780 times more likely to experience an adverse reaction from the covid-19 vaccine, than you are from dying of Covid-19.



#### 6.4.1 ICU Bed Infographics

Following are a number of infographics which can be used to illustrate the ICU capacity issues in Manitoba during the time leading up to the pandemic and through 2020.

Such a dramatic decrease in Manitoba's capacity to address a medical emergency, in and of itself, is criminally negligent, and the public were largely kept in the dark about what was going on, or had no appreciation for it. Where was the outcry from the medial societies?

## **DID YOU KNOW?** ICU Beds Used in Manitoba 2020

ICU Bed for Covid 19 Designated Patients Manitoba 2020 2007 ICU Beds 120 19 100 Number of ICU Beds Used for Covid 80 2017 ICU Beds 60 ICU Beds 2019 40 20 0 2020 April 13, April 24. Timeline in 2020 ICU Usage for Covid 19 Patients

#### According to the WRHA\*

**2017** 402 Critical Care Health Nurse Positions Available;

279 Critical Care Health Nurses Employed;

2019 187 Critical Care Health Nurse Positions Available;

140 Critical Care Health Nurses Employed

### 200% Reduction In Staff

\* Winnipeg Regional Health Authority



The Chart on the Left shows the number of ICU beds that the Province of Manitoba reported to be used for Covid 19 Patients.

The **Blue Line** shows the Daily Number of ICU beds occupied by Covid 19 Patients

The **Red Dotted Line** at the top, indicates the number of ICU beds available in Manitoba in 2007.

The Yellow Dotted Line In the Middle, indicates the number of ICU beds available in Manitoba in 2017.

The **Green Dotted Line**, indicate the number of ICU beds available in Manitoba in the Fall of 2019 with the closure of the Seven Oaks Hospital ICU.

Maximum ICU Bed Usage Occurred May 21, 2021: 76 Beds

Vaccinations Began in December 16, 2020

It is Unknown how many of these ICU beds were occupied by people in the ICU BECAUSE OF COVID 19, rather than in ICU for other reasons WITH COVID 19.



